Manitoulin-Sudbury District Services Board POLICY & PROCEDURES MANUAL		
Section: G. Paramedic Services	Effective Date: April 30, 2019	
Topic: 8. Occupational Health & Safety	Replaces: March 1, 2010	
Subject: 4. Operation Around Aircraft		
Policy No. G.8.4. 2019		
PURPOSE		

To provide guidelines for ambulance staff working in or around rotor wing aircraft (helicopters) and fixed wing aircraft.

## APPLICATION

Paramedics, Paramedic Superintendents, Senior Managers

#### PROCEDURE


## **Rotor Wing Helicopters**

- Landing site preparation and security must be as per MOHLTC BLS Patient Care Standards, specifically the Air Ambulance Utilization Standard, and the Ornge Helicopter Safety Sheet.
- NEVER APPROACH ANY HELICOPTER UNTIL THE ROTOR HAS STOPPED, or until advised to do so by a member of the aircraft flight crew.
- Paramedics should STAY IN THE AMBULANCE until directed to approach the aircraft.
- When approaching or leaving the area of the helicopter, always remain within the pilot's normal area of vision, remain in a crouched position when walking under the helicopter rotor disk area.
- On sloping or irregular landing surfaces, Paramedics should never position or approach from the up-slope side of the aircraft.
- The area adjacent to the landing site must be clear of loose objects such as tarps, cardboard boxes, clothing, etc.
- Keep vehicle doors and windows closed when in the landing area.
- SMOKING is not permitted during the arrival or departure of a helicopter.
- Loading and unloaded from an air ambulance helicopter must be directed by a member of the flight crew.
- Never operate a vehicle in proximity to the helicopter without direction from the flight crew.
- Under no circumstances will any personnel go around the tail section of the helicopter.
- When approaching the helicopter, nothing should be higher than your head (I.V. poles, etc.).

Manitoulin-Sudbury District Services Board POLICY & PROCEDURES MANUAL		
Section: G. Paramedic Services	Effective Date: April 30, 2019	
Topic: 8. Occupational Health & Safety	Replaces: March 1, 2010	
Subject: 4. Operation Around Aircraft		
Policy No. G.8.4. 2019		




#### APPROACHING OR LEAVING A HELICOPTER





DO NOT APPROACH THE HELICOPTER unless escorted by the pilot or crew members.



IF ON UNEVEN GROUND, approach or depart from the downhill side for maximum rotor clearance.

DO NOT RAISE ANYTHING ABOVE THE HEAD and crouch while walking in the vicinity of the helicopter.

SPECTATORS must remain 200 feet clear of the helicopter. EMERGENCY VEHICLES must remain 150 feet away until Instructed by the pilot or crew members.

NO VEHICLES OR PERSONNEL are allowed within the landing zone during landing and take-off.



PROTECT EYES with safety goggles or turn head when helicopter is landing and departing.

### LANDING ZONE - 150 ft. x 150 ft.



- The helicopter's pilot-in-command is responsible for selecting the landing zone and has the final decision on whether or not to land.
- Surface should be flat as possible.
- · No loose debris should be within the landing zone.
- Vehicle doors, windows and access compartments should be closed.
- Stretchers should be left in the ambulance and all loose articles secured until directed by pilot or crew members.
- · Do not use flares or other objects to outline the landing zone.
- Fire fighters should not lay out hose, any hoses that have been laid must be charged.



Tel: 1 800 387 4672 Fax 1 647 428 2006


This information is applicable to Ornge helicopters only.

Manitoulin-Sudbury District Services Board POLICY & PROCEDURES MANUAL		
Section: G. Paramedic Services	Effective Date: April 30, 2019	
Topic: 8. Occupational Health & Safety	Replaces: March 1, 2010	
Subject: 4. Operation Around Aircraft		
Policy No. G.8.4. 2019		

## **Fixed wing Aircraft**

- Where Manitoulin-Sudbury DSB Paramedics are required to operate in proximity to a fixed wing aircraft, the Paramedics shall follow instructions/directions pertaining to safety rules/procedures given by flight crew.
- Paramedics shall only move to airside of the facility when permission to do so has been granted by airport personnel or by established directive.
- Paramedics shall not have their emergency or OEM lighting in the active on position during aircraft approach as this may impact on pilot performance.
- Paramedics shall only reverse toward the aircraft for loading or unloading of a patient when directed to do so by a member of the flight crew.

Manitoulin-Sudbury District Services Board POLICY & PROCEDURES MANUAL		
Section: G. Paramedic Services	Effective Date: April 30, 2019	
Topic: 8. Occupational Health & Safety Subject: 4. Operation Around Aircraft	Replaces: March 1, 2010	
Policy No. G.8.4. 2019		



Manitoulin-Sudbury District Services Board POLICY & PROCEDURES MANUAL		
Section: G. Paramedic Services	Effective Date: April 30, 2019	
Topic: 8. Occupational Health & Safety Subject: 4. Operation Around Aircraft	Replaces: March 1, 2010	
Policy No. G.8.4. 2019		

# REFERENCE

Emergency Health Services Branch (2017), *Basic Life Support Patient Care Standard, Version 3.0.1*, Ministry of Health and Long-Term Care

Ornge (2018), Rotor Wing Aircraft Safety Sheet