




Manitoulin Sudbury DSB EMS Most Common Patient Complaints January - December 2013




Manitoulin Sudbury DSB EMS Most Common Patient Complaints January - November 2013




Manitoulin Sudbury DSB EMS Most Common Patient Complaints January - October 2013




Manitoulin Sudbury DSB EMS Most Common Patient Complaints January - September 2013




Manitoulin Sudbury DSB EMS Most Common Patient Complaints January - August 2013




Manitoulin Sudbury DSB EMS Most Common Patient Complaints January - July 2013




Manitoulin Sudbury DSB EMS Most Common Patient Complaints January - June 2013




Manitoulin Sudbury DSB EMS Most Common Patient Complaints (January - May 2013)




Manitoulin Sudbury DSB EMS Most Common Patient Complaints (January - April 2013)




Manitoulin Sudbury DSB EMS Most Common Patient Complaints (January - March 2013)



Manitoulin Sudbury DSB EMS Most Common Patient Complaints (January - February 2013)



Manitoulin Sudbury DSB EMS Most Common Patient Complaints (January 2013)



Short Form	Definition
Stoke/TIA:	<ul style="list-style-type: none"> • Stroke is a sudden loss of brain function caused by the interruption of blood flow to the brain, or the rupture of blood vessels in the brain. • A TIA is a transient Ischemic attach which means a warning stroke or mini-stroke, which produces stroke-like symptoms.
Cardiac/Medical VSA	<ul style="list-style-type: none"> • Cardiac/Medical VSA means vital signs absent caused by problems with the heart or problems due to a medical issue
Seizure/Post Ictal	<ul style="list-style-type: none"> • A seizure is a sudden surge of electrical activity in the brain that usually affects how a person feels or acts for a short time. Seizures are not a disease in themselves. Instead, they are a symptom of many different disorders that can affect the brain. Some seizures can hardly be noticed, while others are totally disabling. Symptoms may include chewing movements, black out, confusion, deafness/sounds, electric shock feeling, convulsion, difficulty talking, drooling, eyelid fluttering, eyes rolling up, falling down. • The Post ictal period of a seizure is the end of a seizure. This period may last minutes to hours. Symptoms may include: memory loss, writing difficulty, confusion, depression and sadness, fear, frustration, shame/embarrassment, bruising, difficulty talking, Injuries, sleeping
GI/Vomiting/Nausea	<ul style="list-style-type: none"> • Gastrointestinal problems may include: food poisoning, irritable bowel syndrome (IBS), chronic diarrhea, constipation and intestinal pain, inflammatory bowel disease (IBD), crohn's disease and ulcerative colitis
Behaviors/Psychiatric	<ul style="list-style-type: none"> • Some disorders can include: Anxiety, Depression, Schizophrenia

Ischemic Chest Pain	<ul style="list-style-type: none">• An absolute or relative shortage of blood supply or oxygen to the heart which causes chest pain
Respiratory Distress	<ul style="list-style-type: none">• Respiratory distress can include labored breathing which is a physical presentation such as grunting, nasal flaring, high pitch sounds, or use of chest muscles to assist breathing.• Some causes of respiratory distress include heart problems, blood sugar imbalances, asthma, bronchitis, emphysema.
Abdominal Pain/NYD	<ul style="list-style-type: none">• Abdominal pain not yet diagnosed can include: appendicitis, bowel problems, aortic aneurysm (swelling of the aorta, the largest artery in the body, which may represent an underlying weakness in the wall of the aorta).
Convalescent/Invalid/Return Home	<ul style="list-style-type: none">• Convalescent means a person recovering from an illness or operation.• Invalid can include a sick person, or a person with a particular type of disability.• Return home means to transport a patient home from the hospital.
Musk/Skel Trauma	<ul style="list-style-type: none">• Musculoskeletal trauma injury is caused when there is a force to body tissues or bones that exceed the bodies tolerance. Injuries can include bone fractures, dislocations, strains, sprains, soft tissue damage.

General Illness/Weakness	<ul style="list-style-type: none">• General illness and weakness is a general rundown felt by the body. It could be caused by fever, lack of eating, medications, illness, and stress.
Other Medical/Trauma	<ul style="list-style-type: none">• When an ambulance call does not meet any of the categories it is placed under the "other medical or trauma" category
Treatment -Diag/Return	<ul style="list-style-type: none">• Treatment, diagnosis, return, means that the patient is being transported by ambulance due to an appointment made at the hospital for some type of treatment or diagnosis. This category can also include transporting patient back to originating hospital or back home.