

Short Form	Definition
Stoke/TIA:	 Stroke is a sudden loss of brain function caused by the interruption of blood flow to the brain, or the rupture of blood vessels in the brain. A TIA is a transient Ischemic attach which means a warning stroke or mini-stroke, which produces stroke-like symptoms.
Cardiac/Medical VSA	Cardiac/Medical VSA means vital signs absent caused by problems with the heart or problems due to a medical issue
Seizure/Post Ictal	 A seizure is a sudden surge of electrical activity in the brain that usually affects how a person feels or acts for a short time. Seizures are not a disease in themselves. Instead, they are a symptom of many different disorders that can affect the brain. Some seizures can hardly be noticed, while others are totally disabling. Symptoms may include chewing movements, black out, confusion, deafness/sounds, electric shock feeling, convulsion, difficulty talking, drooling, eyelid fluttering, eyes rolling up, falling down. The Post ictal period of a seizure is the end of a seizure. This period may last minutes to hours. Symptoms may include: memory loss, writing difficulty, confusion, depression and sadness, fear, frustration, shame/embarrassment, bruising, difficulty talking, Injuries, sleeping
GI/Vomiting/Nausea	 Gastrointestinal problems may include: food poisoning, irritable bowel syndrome (IBS), chronic diarrhea, constipation and intestinal pain, inflammatory bowel disease (IBD), crohn's disease and ulcerative colitis
Behaviors/Psychiatric	Some disorders can include: Anxiety, Depression, Schizophrenia

Ischemic Chest Pain	 An absolute or relative shortage of blood supply or oxygen to the heart which causes chest pain
Respiratory Distress	 Respiratory distress can include labored breathing which is a physical presentation such as grunting, nasal flaring, high pitch sounds, or use of chest muscles to assist breathing. Some causes of respiratory distress include heart problems, blood sugar imbalances, asthma, bronchitis, emphysema.
Abdominal Pain/NYD	 Abdominal pain not yet diagnosed can include: appendicitis, bowel problems, aortic aneurysm (swelling of the aorta, the largest artery in the body, which may represent an underlying weakness in the wall of the aorta).
Convalescent/Invalid/Return Home	 Convalescent means a person recovering from an illness or operation. Invalid can include a sick person, or a person with a particular type of disability. Return home means to transport a patient home from the hospital.
Musk/Skel Trauma	 Musculoskeletal trauma injury is caused when there is a force to body tissues or bones that exceed the bodies tolerance. Injuries can include bone fractures, dislocations, strains, sprains, soft tissue damage.

General IIIness/Weakness	General illness and weakness is a general rundown felt by the body. It could be caused by fever, lack of eating, medications, illness, and stress.
Other Medical/Trauma	When an ambulance call does not meet any of the categories it is placed under the "other medical or trauma" category
Treatment -Diag/Return	 Treatment, diagnosis, return, means that the patient is being transported by ambulance due to an appointment made at the hospital for some type of treatment or diagnosis. This category can also include transporting patient back to originating hospital or back home.